

BASIC INSTRUCTIONS FOR IUCD INSERTION AND REMOVAL







Digital Version



CONTRACEPTIVE IMPLANTS FOR LONG-TERM BIRTH CONTROL

IUCD INSERTION INSTRUCTIONS

• You should take the appointment after the periods (Usually within 5 to 7 days post onset of menstrual cycle)

• If you do not get periods or have irregular periods, you can insert an IUCD with a confirmed negative pregnancy test.

- Fasting is not required.
- No premedication is required.
- You need to sign the informed consent for the procedure.

• You should empty your bladder before the procedure.

• You may experience cramping pain and spotting for 1-2 days after the procedure.

• There is no rest is required following the procedure.

• You will need to come after one month to check the status of the IUCD.

• You should meet the Doctor once in six months for follow up, subsequently.



IUCD REMOVAL INSTRUCTIONS

• You should avoid sex at least one week prior to the procedure. This will lower the chances of conception during fertile days.

- No fasting is required for IUCD removal.
- No rest is required following the procedure.

• There will be slight spotting after the procedure which is normal.

• There may be some changes in the period, which depends upon the type of IUCD device that you had.

• This procedure is completely risk-free and painless.





PLEASE SCAN FOR THE LOCATION



Mankhool, Kuwait Road, Al Mankhool - Dubai © 04 440 0500 ⊕ asterhospitals.com ④ ⑨ ◎ asterhospital

DEPARTMENTS

Accident & Emergency · Anesthesiology · Cardiology · Clinical Nutrition Dental Centre · Dermatology · ENT · General Surgery · Insurance Internal Medicine · Laboratory Services · Neurosurgery · Ophthalmology Obstetrics & Gynaecology · Orthopedics · Patient Affairs