






Digital Version



## **FEEDING**

- Always wash your hands before preparing the formula feed and direct breast feed
- Every two to three hourly feeding as advised.
- Feed your baby about 8-10 times a day or whenever baby demands.
- Burp the baby after each feed
- Sterilize the bottles and supplies before and after feeding.
- Discard formula left behind after 1 hour of preparation.

## **BREAST MILK STORAGE**

- Freshly pumped breast milk is always the best for the baby.
- Storage of breast milk
- o 4 hours in room temperature
- o 3days in the refrigerator with strict temperature control
- o 3months in freezer with separate door
- o 6 to 12 months in deep freezer
- o Once refrigerated thaw the milk to room temperature and use it immediately. Do not refreeze

# SLEEPING, BATHING AND CLOTHING

- Always keep the baby clean and dry.
- Always put your baby to sleep on back with face up.
- Baby should sleep on a flat firm surface.
- Avoid pillows, soft toys or soft clothing in the vicinity.
- Baby should sleep on a separate crib kept close to the mother.
- Continue Kangaroo care at home
- Keep the cord dry and give only sponge bath.
- Make sure your baby's clothes are neat and tidy.
- Keep the baby warm however avoid excess heat. A room temperature of 24 to 26 is desirable.
- Do not over dress your baby

#### **MEDICATION**

• Continue the same medication as advised in discharge summary till next follow up.

#### **BASIC SAFTEY**

- Do not leave your baby alone.
- Make your home no smoking zone
- Limit contact with visitors and avoid overcrowding.
- Do not take your baby around people who are sick.
- Make sure you are trained well in CPR

# WHEN TO TAKE YOUR BABY TO A DOCTOR

- Poor feeding, less active
- Bluish or yellowish discoloration
- Continuous vomiting.
- · Dark yellow or greenish vomiting
- Fever.
- Any abnormal movements.

- Chocking or any life -threatening events
- Blood in stool.
- Fast or heavy breathing and holding the breath.
- Excessive, irritable and high-pitched cry
- Redness around the cord or significant bleeding from umbilicus
- Anything else perceived as abnormal by the parents.

#### **FOLLOW-UP WITH A PEDIATRICIAN**

- On the scheduled date.
- If baby has any above-mentioned symptoms, please see a doctor at the earliest
- Bring Baby book when you visit the pediatrician so that the pediatrician can update your baby's growth parameters
- Please Keep immunization card in a safe place.





PLEASE SCAN FOR THE LOCATION



Mankhool, Kuwait Road, Al Mankhool - Dubai © 04 440 0500 ⊕ asterhospitals.com ④ ⑨ ⊚ asterhospital

#### **DEPARTMENTS**

Accident & Emergency · Anesthesiology · Cardiology · Clinical Nutrition

Dental Centre · Dermatology · ENT · General Surgery · Insurance

Internal Medicine · Laboratory Services · Neurosurgery · Ophthalmology

Obstetrics & Gynaecology · Orthopedics · Patient Affairs